ELSEVIER

Powder Technology 93 (1997) 293

POWDER TECHNOLOGY

Author Index of Volume 93

Arnold, P.C., 151

Bachiorrini, A., 247
Baeyens, J., 283
Bideau, D., 1
Branch, C.A., 23

Campbell, C.S., 13
Cantelaube, F., 1
Clark, I.M., 101

Delaey, L., 127
Djamarani, K.M., 101

Feuser, W., 189
Froyen, L., 127
Fryer, P.J., 23, 35

Gautam, M., 93
Grosseau, P., 247
Guilhot, B., 247
Guo, T., 209

Hage, B., 235
Hanada, M., 77
Hansen, S., 177
Hartholt, G.P., 185
Hoffmann, A.C., 185
Hounslow, M.J., 163
Hsiau, S.S., 83
Hsu, F.L.G., 219

Janssen, L.P.B.M., 185

Kaga, H., 143
Kamel, M.T., 199
Katayama, H., 143
Kawatake, S., 261
Kitano, M., 267

Lareo, C., 23, 35
la Rivière, R., 185
Levy, A., 253

Ma, T.W., 219
Marjanovic, P., 253
Mason, D.J., 253
Mi, G., 77
Mooney, T., 253
Muguruma, Y., 261
Mukaida, K., 143

Nagasawa, Y., 143
Namik Cagatay, M., 275
Neale, G.H., 209
Nedderman, R.M., 35

Olevsky, E.A., 127
Ottino, J.M., 177

Pavlović, M.G., 55
Podczeck, F., 47
Popov, K.I., 55
Potapov, A.V., 13

Radford, R.D., 109
Radmilović, V., 55
Roux, S., 1

Saito, F., 77
Saner, S., 275
Shamsi, A., 93
Shiojiri, M., 267
Shtern, M.B., 127
Stenhouse, J.I.T., 63
Stojilković, E.R., 55
Su, M.F., 283
Sumani, M., 275
Sung, D.J., 219

Tanaka, T., 261
Taya, Y., 143
Thibodeau, L., 209
Timmermans, G., 127
Tory, E.M., 199
Tsuji, Y., 261
Turian, R.M., 219

Velegol, D., 93

Walsh, D.C., 63
Werther, J., 235
Wu, S.Y., 283
Wynn, E.J.W., 163

Yu, H.Y., 83
Yu, Y., 151

Elsevier Science S.A.

ELSEVIER

Powder Technology 93 (1997) 295–297

POWDER TECHNOLOGY

Subject Index of Volume 93

Abrasion
fragmentation with abrasion and cleavage: analytical results, 177
Aerosols
clogging of an electrically active fibrous filter material: experimental results and two-dimensional simulations, 63
Attrition
fragmentation with abrasion and cleavage: analytical results, 177

Baffles
the influence of perforated baffles on the mixing and segregation of a binary group B mixture in a gas–solid fluidized bed, 185
discrete particle simulation of a rotary vessel mixer with baffles, 261
Ball mills
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Bénard convection
Bénard convection ZnO/resin lacquer coating — a new approach to electrostatic dissipative coating, 267
Breakage
the two mechanisms of particle impact breakage and the velocity effect, 13
Buoyancy forces
effects of connate water on immiscible displacement processes in porous media, 209

Calcium hydroxide
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Calcium silicate hydrate
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Capacitance probe
the guarded capacitance probe — a tool for the measurement of solids flow patterns in laboratory and industrial fluidized bed combustors, 235
Carbon particles
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283
Catalytic cracking
catalytic cracking of a coal tar in a fluid bed reactor, 93
Ceramics
preparation of polycrystalline yttrium iron garnet ceramics, 247
Characterization
characterization of particle size based on fine and coarse fractions, 101
Chemical processing
preparation of polycrystalline yttrium iron garnet ceramics, 247
Classification
the influence of perforated baffles on the mixing and segregation of a binary group B mixture in a gas–solid fluidized bed, 185
Cleavage
fragmentation with abrasion and cleavage: analytical results, 177
Clusters
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Coal tar
catalytic cracking of a coal tar in a fluid bed reactor, 93
Coating layers
vacuum effect on the mechanism of composite particle formation in physical preparation, 143
Coatings
Bénard convection ZnO/resin lacquer coating — a new approach to electrostatic dissipative coating, 267
Coincidence correction
coincidence correction for electrical-zone (Coulter-counter) particle size analysers, 163
Combustion
the guarded capacitance probe — a tool for the measurement of solids flow patterns in laboratory and industrial fluidized bed combustors, 235
Composites
vacuum effect on the mechanism of composite particle formation in physical preparation, 143
Connate water
effects of connate water on immiscible displacement processes in porous media, 209
Coprecipitation
preparation of polycrystalline yttrium iron garnet ceramics, 247
Coulter counter
coincidence correction for electrical-zone (Coulter-counter) particle size analysers, 163

Differential convection
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Diffusion
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Discrete element method
discrete particle simulation of a rotary vessel mixer with baffles, 261
Dispersions
mean velocities in polydisperse suspensions, 199
Drying
a model of particulate drying in pneumatic conveying systems, 109

Electrical zone particle size analyser
coincidence correction for electrical-zone (Coulter-counter) particle size analysers, 163
Electrodeposition
morphology of lead dendrites electrodeposited by square-wave pulsating overpotential, 55
Electrostatic dissipative coating
Bénard convection ZnO/resin lacquer coating — a new approach to electrostatic dissipative coating, 267

Elsevier Science S.A.

Electrostatics
clogging of an electrically active fibrous filter material: experimental results and two-dimensional simulations, 63
Expansion
segregation phenomena in a shaker, 83

Fillers
Bénard convection ZnO/resin lacquer coating — a new approach to electrostatic dissipative coating, 267
Filter clogging
clogging of an electrically active fibrous filter material: experimental results and two-dimensional simulations, 63
Filtration
clogging of an electrically active fibrous filter material: experimental results and two-dimensional simulations, 63
Finite element method
the permeable element method for modelling of deformation processes in porous and powder materials: theoretical basis and checking by experiments, 127
Flow
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Flow patterns
the guarded capacitance probe — a tool for the measurement of solids flow patterns in laboratory and industrial fluidized bed combustors, 235
Fluidized beds
the influence of perforated baffles on the mixing and segregation of a binary group B mixture in a gas–solid fluidized bed, 185
the guarded capacitance probe — a tool for the measurement of solids flow patterns in laboratory and industrial fluidized bed combustors, 235
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283
Food processing
particle velocity profiles for solid–liquid food flows in vertical pipes, 23, 35
Fourier transform techniques
coincidence correction for electrical-zone (Coulter-counter) particle size analysers, 163
Fragmentation
the two mechanisms of particle impact breakage and the velocity effect, 13
fragmentation with abrasion and cleavage: analytical results, 177

Gas cleaning
clogging of an electrically active fibrous filter material: experimental results and two-dimensional simulations, 63
Granular media
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
segregation phenomena in a shaker, 83
Grinding
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
fragmentation with abrasion and cleavage: analytical results, 177
Guard circuit
the guarded capacitance probe — a tool for the measurement of solids flow patterns in laboratory and industrial fluidized bed combustors, 235

Humidity
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283
Hydrodynamics
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283

Impact
the two mechanisms of particle impact breakage and the velocity effect, 13

Kinetics
kinetics of segregation of granular media in a two-dimensional rotating drum, 1

Lacquers
Bénard convection ZnO/resin lacquer coating — a new approach to electrostatic dissipative coating, 267
Lead dendrites
morphology of lead dendrites electrodeposited by square-wave pulsating overpotential, 55
Load diversion
load diversion by embedding in crushed salt, 189

Mechanical processing
vacuum effect on the mechanism of composite particle formation in physical preparation, 143
Mechanochemistry
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Mixing
the influence of perforated baffles on the mixing and segregation of a binary group B mixture in a gas–solid fluidized bed, 185
Mixing curve
discrete particle simulation of a rotary vessel mixer with baffles, 261
Modelling
a model of particulate drying in pneumatic conveying systems, 109
Morphology
morphology of lead dendrites electrodeposited by square-wave pulsating overpotential, 55
Moulds/dies
the permeable element method for modelling of deformation processes in porous and powder materials: theoretical basis and checking by experiments, 127

Packing
characterization, settling, and rheology of concentrated fine particulate mineral slurries, 219
Particle shape factor
a shape factor to assess the shape of particles using image analysis, 47
Particle temperature
vacuum effect on the mechanism of composite particle formation in physical preparation, 143
Percolation
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Pipelines
a comparison of analytical and numerical models with experimental data for gas–solid flow through a straight pipe at different inclinations, 253
Pneumatic conveying
a model of particulate drying in pneumatic conveying systems, 109
a comparison of analytical and numerical models with experimental data for gas–solid flow through a straight pipe at different inclinations, 253
Porous media
the permeable element method for modelling of deformation processes in porous and powder materials: theoretical basis and checking by experiments, 127
effects of connate water on immiscible displacement processes in porous media, 209

Pressing
the permeable element method for modelling of deformation processes in porous and powder materials: theoretical basis and checking by experiments, 127
Pressure distribution
load diversion by embedding in crushed salt, 189
Pulsating overpotential
morphology of lead dendrites electrodeposited by square-wave pulsating overpotential, 55
Pyrolysis
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283

Radioactive waste
load diversion by embedding in crushed salt, 189
Resistivity
electrical resistivity behavior of high salinity brine suspensions, 275
Rheology
characterization, settling, and rheology of concentrated fine particulate mineral slurries, 219
Rotary mixers
discrete particle simulation of a rotary vessel mixer with baffles, 261

Salinity
electrical resistivity behavior of high salinity brine suspensions, 275
Screw feeders
theoretical modelling of torque requirements for single screw feeders, 151
Sedimentation
mean velocities in polydisperse suspensions, 199
characterization, settling, and rheology of concentrated fine particulate mineral slurries, 219
Segregation
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
segregation phenomena in a shaker, 83
the influence of perforated baffles on the mixing and segregation of a binary group B mixture in a gas–solid fluidized bed, 185
Self-similarity
fragmentation with abrasion and cleavage: analytical results, 177
Semihydrostatic model
load diversion by embedding in crushed salt, 189
Shakers
segregation phenomena in a shaker, 83
Shape characterization
a shape factor to assess the shape of particles using image analysis, 47
Shearing
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Silica gel
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Silos
load diversion by embedding in crushed salt, 189
Simulation
discrete particle simulation of a rotary vessel mixer with baffles, 261
Size distributions
characterization of particle size based on fine and coarse fractions, 101
coincidence correction for electrical-zone (Coulter-counter) particle size analysers, 163
Slurries
characterization, settling, and rheology of concentrated fine particulate mineral slurries, 219
Spreadsheets
a model of particulate drying in pneumatic conveying systems, 109
Suspensions
mean velocities in polydisperse suspensions, 199
electrical resistivity behavior of high salinity brine suspensions, 275

Time constant
kinetics of segregation of granular media in a two-dimensional rotating drum, 1
Tobermorite
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77
Torque characteristics
theoretical modelling of torque requirements for single screw feeders, 151
Two-phase flow
particle velocity profiles for solid–liquid food flows in vertical pipes, 23, 35
a comparison of analytical and numerical models with experimental data for gas–solid flow through a straight pipe at different inclinations, 253
Tyres
the fluidized bed pyrolysis of shredded tyres: the influence of carbon particles, humidity, and temperature on the hydrodynamics, 283

Vacuum processing
vacuum effect on the mechanism of composite particle formation in physical preparation, 143
Velocity profiles
particle velocity profiles for solid–liquid food flows in vertical pipes, 23, 35
Vertical borehole
load diversion by embedding in crushed salt, 189
Vibrational acceleration
segregation phenomena in a shaker, 83
Viscous fingering
effects of connate water on immiscible displacement processes in porous media, 209

Wollastonite
mechanochemical synthesis of tobermorite by wet grinding in a planetary ball mill, 77

Yield stress
characterization, settling, and rheology of concentrated fine particulate mineral slurries, 219